

Treatment of TrIGGERAL Helminthiasis in Children and Adolescents Using Folk Medicine

U.Sh. Maxamatov

Fergana Medical Institute Public of Health.

Department of Nutrition, Child and Child Hygiene

Clinical residents E.E.Rahmonberdiyeva, Sh.M.Burxonova

ABSTRACT

A worm or helminth can be a parasite and cause great harm to a child's body. Some of its species can restore the whole body by injecting into the blood. Worms in a child should be identified and treated in time.

Article Information

Received: December 10, 2022

Accepted: January 25, 2023

Published: February 26, 2023

Keywords: Worms, helminthiasis, parasitism, diathesis, dermatitis, allergic reactions

Introduction

Sweetness: In children infected with worms, appetite can be suddenly controlled, only eating, joint pain, convulsions, nausea (especially at the beginning), diarrhea can be sweetened.

In addition, it can be observed that the child is capricious, his sleep is disturbed, and he grinds his teeth in a dream.

A child with ringworm has a black spot under the eye and may have an unpleasant smell from the mouth.[1,2,3]

Worms often cause diathesis, dermatitis and other reactions in a child. [4]

Gij reduces the mental and physical condition of the child and causes a decrease in blood hemoglobin. the area around the anus itches and the child wants to grab the side of the buttocks.[5]

Worms live with a cycle, so it is not easy for the worm to pass the feces. The day of faeces is not visible if it does not correspond to the life cycle of the worm. Because of this, the current state of the parent can be tracked.[6]

Main ways of transmission: The worm enters the body in 3 ways:

- Through water (drinking unboiled water);
- Through the soil (the child puts a piece of soil in his mouth);
- From undercooked beef, poultry or fish.

In addition, there is a risk of a shot from a pregnant woman to the fetus.[7]

Treatment: Nowadays, there are many ways to treat ringworm. The way of treatment is the doctor should be specified.

Natural methods used in folk medicine for deworming:

- Ibn Sina widely used bayimodaran flower against worms. He recommended to make a thick tincture of the flower of the plant, filter it through cheesecloth and drink one and a half spoonfuls. If it is made into tea three times on an empty stomach, or if it is drunk in two tablespoons for six days, worms will be repelled.

This herbal anthelmintic is an easy to prepare and good healing natural boon.[8]

- It is recommended to eat a handful of pumpkin seeds in the morning against worms. [9]

- Carrot juice is also good for breakfast.[10]

- Take an equal amount of marigold flowers, walnut leaves, ginger, hyacinth, balila, and yellow halila, and if half a teaspoon is taken on an empty stomach three times a day before meals or mixed with boiling water, worms will be removed easily.[11]

- Peel a head of garlic, pour a glass of water over it and boil it for ten minutes on low heat. It is filtered and a teaspoon of ermon tincture boiled in 2.5 cups of water is poured over it. The mixture of both tinctures is left to rest for an hour and injected after the child goes to the toilet.[7]

- If you drink ten cloves of garlic with boiled milk at breakfast, or if you eat more food without milk, worms and solitaire will fall.

- Two cups of boiled and cooled water are poured over a tablespoon of dastarbash flowers, and the cake is left to rest in a closed container. Drink 2-3 times a day half an hour before meals.

- Ermon seeds are mixed with honey and consumed three times a day for two days, 1.5-2 hours before meals. A day before that, a diet is taken andurgi medicine is taken. After two days, in the evening, surgi medicine is drunk again. Adults eat 4 g of seeds, children up to 1-3 years old 0.25-0.75 g, up to 4-6 years old 1-1.5 g, up to 7-9 years old 1.75-2.25 g, up to 10-14 years old 2, 5-3.6 grams, 4 grams for 15-16 years old.

Before using these natural methods, you should consult your doctor!

To prevent the appearance of worms, the following rules should be followed:

- Wash the child's feet with soap after coming from the mother;
- Keeping the house clean;
- Boil water and drink;
- Drink boiled milk;
- Wash and eat fruits and vegetables in boiling water;
- Washing the child's toys regularly;
- Excusing the child not to put his mouth in his mouth;
- Forbidding the child to catch animals in the yard.[7]

If these tips are followed, the chances of getting worms are greatly reduced, and our child has prevented problems related to it.

References

1. Azimov D. A., Трематоиди — паразити животных и человека, Т., 1986;
2. Matchanov N. M., Azimov J. A., Gehtin V. I., Odam va hayvonlarning ko‘rinmas yovlari, Т., 1977;
3. Parmonov M., Sayidqulov B., Parmonov J., Epizootologiya, Т., 1996
4. Maxamatov U. et al. NEGATIVE CONSEQUENCES OF MORE EATING AND RECOMMENDATIONS ON EATING //Eurasian Journal of Medical and Natural Sciences. – 2022. – Т. 2. – №. 6. – С. 156-159.
5. Maxamatov U. et al. NUTRITION OF YOUNG MOTHERS AND RECOMMENDATIONS //Eurasian Journal of Medical and Natural Sciences. – 2022. – Т. 2. – №. 6. – С. 160-162.
6. Shoirjonovich M. U., Abdulkhamidovna K. M. Flatulence in Children and Adolescents and its Prevention //EUROPEAN JOURNAL OF INNOVATION IN NONFORMAL EDUCATION. – 2022. – Т. 2. – №. 1. – С. 83-85.
7. Shoirjonovich M. U., Abdulkhamidovna K. M. Platelet deficiency disease among children and adolescents and measures to prevent it //Eurasian Medical Research Periodical. – 2021. – Т. 3. – С. 37-39.
8. Maxamatov U. S., Xatamova U. B. EMERGENCY SITUATIONS RESPONSIBILITIES AND PREVENTION MEASURES //Мировая наука. – 2018. – №. 12. – С. 33-36.
9. Xatamova U. B., Maxamatov U. S. FOOD POISONING AND ITS PREVENTION AND DISPOSAL METHODS //Мировая наука. – 2018. – №. 12. – С. 85-87
10. Maxamatov U. S., Xatamova U. B. THE EFFECTIVENESS OF URGENT MEDICAL INSTRUCTIONS IN EMERGENCY STATIONS //Мировая наука. – 2018. – №. 12. – С. 37-40.
11. Xatamova U. B., Maxamatov U. S. VITAMINS AND HUMAN HEALTH //Мировая наука. – 2018. – №. 12. – С. 83-85.