

Development of a Method for Indication of Molecular Markers of Organ Damages in Syphilitic Infection

Abduxamidova Dilshoda Khalimovna

General Practice of Family Medicine, Samarkand State Medical University, Samarkand, Uzbekistan

Article Information

Received: November 29, 2022

Accepted: December 30, 2022

Published: January 31, 2023

Keywords: *molecular markers, syphilitic infection, spectrometric analysis.*

ABSTRACT

in this article, an attempt was made to reveal the main reasons for the development of a method for indicating molecular markers of organ lesions in syphilitic infection based on the chromatographic-mass spectrometric analysis of biological fluids and tissues of the body of a patient with syphilis. To carry out scientific work, the author conducted a study of biological material (blood, cerebrospinal fluid, urine) obtained from 152 patients with syphilis aged 15 to 60 years (men 45.5 women - 55.5%) using GC-MS analysis methods. The problem in question is still little studied, therefore, requires more thorough research.

Introduction: There has been an increase in the number of sexually transmitted infections (STIs) worldwide. Among all STIs, syphilis is the most significant. According to the bodies of Rospotrebnadzor, the incidence of syphilis in 2001 amounted to 240 thousand cases in the Russian Federation. The epidemiological situation in the country remains extremely tense. Of particular concern is the increase in the number of latent forms of syphilis and, as a result, the increase in the frequency of cases of syphilitic lesions of the nervous system and internal organs. Early latent syphilis began to be registered much more often than late and unaccounted for and accounts for up to 60-96% of all patients with a latent form of syphilis. The proportion of early latent syphilis in the Russian Federation increased from 1997 to 2007 by 1.2 times. The frequency of registration of late latent syphilis decreased by 6 times.

The problem of early diagnosis of syphilis and its organ lesions has always been acute, since in most cases the syphilitic process in the central nervous system is asymptomatic and does not have clear clinical signs.

Medicine of the 21st century is molecular medicine. The main postulate of molecular medicine is the position that for each disease, each pathological manifestation of the body, there is a molecular target that can be used both for diagnosing a disease and for medicinal effects. The use of modern technical and instrumental developments significantly expands the possibilities of molecular diagnostics. Methods of molecular diagnostics and prediction of the course of syphilitic infection based on modern technologies and, in particular, gas chromatography and

mass spectrometry (GC-MS) of biological material from patients with syphilis can solve complex problems of diagnosing latent forms of syphilis and its organ lesions.

Aim: was to develop a method for indicating molecular markers of organ lesions in syphilitic infection based on chromatomass spectrometric analysis of biological fluids and tissues of the body of a patient with syphilis.

Materials and methods. Biological material (blood, cerebrospinal fluid, urine) obtained from 152 patients with syphilis aged 15 to 60 years (men 45.5 women - 55.5%) was studied using GC-MS methods. Figure 1.

Results and discussion: GC-MS analysis of peripheral blood was performed in 145 patients, GC-MS analysis of urine — in 72 patients, GC-MS analysis of cerebrospinal fluid — in 17 patients. Out of 152 patients, positive serological tests (RPHA, RP, RIF, ELISA) were found in 121 patients, negative — in 31 patients. Figure 2

Lesions of the nervous system (neurosyphilis) were detected in 17 patients (11.2%); lesions of the genitourinary system (cystitis, urethritis, pyelonephritis) - in 16 patients (10.5%); lesions of the skin and mucous membranes - in 25 patients (16.3%). Rice. 3.

As a control of chromatographic research methods, the chromatographic characteristics of biological fluids were studied in other pathological conditions: surgical sepsis (27 patients), tuberculosis (21 patients), liver echinococcosis (15 patients).

The diagnostic capabilities of GC-MS analysis were used in three areas: 1) analysis of biochemical changes in metabolism in the blood serum of patients with the determination of lipid, carbohydrate and amino acid components; 2) indication of molecular markers of organ damage, in particular, markers of damage to the nervous system (brain), kidneys and integument; 3) indication of signal compounds for the implementation of "cooperative sensitivity" by microbes - lactones, quinolones and furan esters of boron.

During the study, molecular markers of organ lesions (CNS, kidneys, skin and mucous membranes) in syphilis were determined. It has been shown that the information content of GC-MS studies of molecular markers of organ lesions is higher compared to the generally accepted clinical and laboratory indicators of syphilis. For the first time, a comparative analysis of the chromatographic characteristics of biological fluids in patients with syphilis and patients with other infectious and parasitic pathologies (tuberculosis, surgical sepsis, echinococcosis, etc.) was carried out. The result of the study was the development of "Method for laboratory diagnosis of changes in the central nervous system in syphilis" and "Method for laboratory diagnosis of infectious pathology of the kidneys in syphilis"

Conclusions: The developed criteria for GC-MS indication of molecular markers of organ lesions have a high level of diagnostic sensitivity, diagnostic specificity, positive and negative diagnostic predictability and can be used as laboratory diagnostic criteria for syphilis.

Figure -1 Distribution of patients according to anthropometric data.




Figure -2 Distribution of patients by the number of laboratory tests performed.





Figure -3 Distribution of patients by identified complications.



Literature:

1. Сулайманова Н. Э., Рахимова Х. М. YURAK QON TOMIR KASALLIKLARI ASORATLARI PROFILAKTIKASIDA KO 'RSATILADIGAN TIBBIY XIZMAT SIFATINI BAHOLASH //Журнал кардиореспираторных исследований. – 2022. – Т. 3. – №. 3.
2. Сулайманова Н., Рахимова Х., Юлдашова Н. KEKSA YOSHDAGI BEMORLARGA DORI-DARMONLARNI TAYINLASH XUSUSIYATLARI //Журнал кардиореспираторных исследований. – 2021. – Т. 2. – №. 3. – С. 85-88.
3. Kholbayev S. B. et al. THE EFFECT OF DRUG THERAPY IN PATIENTS WITH OBESITY ON THE CLINICAL MANIFESTATIONS OF KNEE OSTEOARTHRITIS. – 2020.
4. Kholbayev S. B. et al. ВЛИЯНИЕ МЕДИКАМЕНТОЗНОЙ ТЕРАПИИ ОЖИРЕНИЯ НА КЛИНИЧЕСКИЕ ПРОЯВЛЕНИЯ ОСТЕОАРТРОЗА КОЛЕННЫХ СУСТАВОВ НА

- ПЕРВИЧНОМ ЗВЕНЕ ЗДРАВООХРАНЕНИЯ //Здобутки клінічної і експериментальної медицини. – №. 1. – С. 181-187.
5. Холбоев С., Юлдашова Н. РЕЗУЛЬТАТЫ АНАЛИЗА ОСНОВАННЫЕ НА МИССИИ ВОЗ И КИТАЙСКОЙ НАРОДНОЙ РЕСПУБЛИКИ ПО ПРОБЛЕМЕ НОВОЙ КОРОНАВИРУСНОЙ ИНФЕКЦИИ COVID-2019 //Журнал кардиореспираторных исследований. – 2020. – Т. 1. – №. SI-1. – С. 81-81.
 6. Рахимова Х., Сулаймонова Н. AXOLI O'RTASIDA 60 VA UN DAN KATTA YOSHDAGI KISHILAR UCHUN KORONAVIRUS INFEKTSIYASINING OLDINI OLISH BO'YICHA TAVSIYALAR //Журнал кардиореспираторных исследований. – 2020. – Т. 1. – №. SI-1. – С. 85-85.
 7. Рахимова Х. М., Сулаймонова Н. Э. Оптимизация методов лечения дисметаболического хронического пиелонефрита у детей //Здоровье, демография, экология финно-угорских народов. – 2019. – №. 1. – С. 54-56.
 8. Rakhimova K. M., Soleeva S. S. Improving the quality of type 2 diabetes control based on pen protocols among the population //ACADEMICIA: An International Multidisciplinary Research Journal. – 2022. – Т. 12. – №. 3. – С. 62-68.
 9. Sulaimanova N. E., Rakhimova K. M., Soleeva S. S. Polypharmacy in prescribing drugs to elderly patients //ACADEMICIA: An International Multidisciplinary Research Journal. – 2022. – Т. 12. – №. 3. – С. 55-61.
 10. Маматкулов Х. и др. Значение социальных факторов в психоэмоциональном развитии и формировании как личности детей школьного возраста от 10 до 14 лет //Журнал вестник врача. – 2011. – Т. 1. – №. 04. – С. 76-77.
 11. Ахмеджанова Н., Эгамбердиева М., Рахимова Х. Влияние комплексного лечения на показатели эндогенной Интоксикации при хроническом пиелонефрите у детей //Журнал проблемы биологии и медицины. – 2018. – №. 1 (99). – С. 14-19.
 12. Аблакулова М. Х., Хусинова Ш. А., Юлдашова Н. Э. РАСПРОСТРАНЕННОСТЬ ИШЕМИЧЕСКОЙ БОЛЕЗНИ СЕРДЦА В ГОРОДСКОЙ НЕОРГАНИЗОВАННОЙ ПОПУЛЯЦИИ ГОРОДА САМАРКАНДА //Журнал кардиореспираторных исследований. – 2022. – Т. 3. – №. 1.
 13. Аблакулова М., Хусинова Ш., Юлдашова Н. Качество жизни и хроническая сердечная недостаточность //Общество и инновации. – 2022. – Т. 3. – №. 1. – С. 171-179.
 14. Akbarovna K. S. et al. ASSESSMENT OF THE PREVALENCE AND QUALITY OF CARE OF PATIENTS WITH HEART FAILURE IN PRIMARY CARE //Thematics Journal of Education. – 2022. – Т. 7. – №. 3.
 15. Холбаев С. Б., Сулейманова Н. Э., Юлдашова Н. Э. Адаптированный клинический протокол по интегрированному ведению артериальной гипертензии и сахарного диабета среди лиц старше 40 лет //Вопросы неотложной кардиологии 2016. – 2016. – С. 6-7.
 16. Лапасов С. Х. и др. Инновационные подходы в диагностике язвенной болезни у взрослых в первичном звене здравоохранения: обзор литературы //Здоровье, демография, экология финно-угорских народов. – 2018. – №. 4. – С. 68-72.
 17. Юлдашова Н., Хакимова Л. РОЛЬ СЕМЕЙНОЙ МЕДИЦИНСКОЙ СЕСТРЫ В РАБОТЕ «ШКОЛЫ МАТЕРИНСТВА» //InterConf. – 2021. – С. 507-512.

18. Юлдашова Н. РАСПРОСТРАНЕННОСТЬ ФАКТОРОВ РИСКА, ВЛИЯЮЩИХ НА ПРОГНОЗ ЗАБОЛЕВАНИЯ БОЛЬНЫХ С АРТЕРИАЛЬНОЙ ГИПЕРТЕНЗИЕЙ //InterConf. – 2020.
19. KHOLBOEV S. B., YULDASHOVA N. E. ADVANTAGES AND DISADVANTAGES OF ONLINE TRAINING SYSTEM WITH LEARNERS' POSITIONS //БИОМЕДИЦИНА ВА АМАЛИЁТ ЖУРНАЛИ. – С. 233.
20. Xolmurodovich D. J., Orifovich R. S., Davlatovich A. X. FEATURES OF THE MICROELEMENT STATUS FOR THE DEVELOPMENT OF ATOPIC DERMATITIS IN CHILDREN //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIIY JURNALI. – 2022. – С. 447-450.
21. Hikmatovich I. N. et al. The use of Fungite in the Local Treatment of Genital Herpes //International Journal of Innovative Analyses and Emerging Technology. – 2021. – Т. 1. – №. 5. – С. 231-232.
22. Davlatovich A. X., Orifovich S. D., Baxtiyorovich A. S. Studying the Relationship of Local Immune Status and the Course of Burn Disease //Central Asian Journal of Medical and Natural Science. – 2022. – Т. 3. – №. 5. – С. 679-682.
23. Davlatovich A. X. VAGINAL TRIXOMONADLAR SHTAMMASINI TRIXOPOLGA VA XIMOTRIPSIN BILAN BILAN SEZGICHLIGINI ANIQLASH //BARQARORLIK VA YETAKCHI TADQIQOTLAR ONLAYN ILMIIY JURNALI. – 2022. – С. 645-647.
24. Salamova L. A. et al. Evaluation of the effectiveness of the drug gepon in the treatment of genital condylomas. – 2021.
25. Хусинова Ш. Качество ведения больных хронической сердечной недостаточностью в первичном звене здравоохранения //Журнал кардиореспираторных исследований. – 2020. – Т. 1. – №. 1. – С. 99-102.
26. Лапасов С. X. и др. Результаты оценки качества диагностики и лечения больных сахарным диабетом 2 типа в условиях первичного звена медико-санитарной помощи //Здобутки клінічної і експериментальної медицини. – 2017. – №. 2. – С. 134-137.
27. Akbarovna K. S. et al. REVIEW OF THE COURSE AND TREATMENT FEATURES OF COVID-19 PATIENTS WITH CONCOMITANT CARDIOVASCULAR DISEASE //Asian journal of pharmaceutical and biological research. – 2022. – Т. 11. – №. 2.
28. Аблакулова М., Абдухамидова Д. ОСОБЕННОСТИ СТАРЕЮЩЕГО ОРГАНИЗМА И ФАРМАКОТЕРАПИИ В ГЕРИАТРИИ //InterConf. – 2020.
29. Khakimova L. et al. acne in allergic skin diseases. texas journal of medical science, 8. – 1818.
30. Khakimova L. et al. Acne in Allergic Skin Diseases //Texas Journal of Medical Science. – 2022. – Т. 8. – С. 129-131.